

SAMPLE IDENTIFICATION

Peptide:	KLOW Blend	Date Requested:	N/A
Client:	Summit Peptides	Date Received:	Jun 3, 2026
Vendor:		Date Tested:	Jun 22, 2026
Lot Number:	LN: 266KLOW80	Date Reported:	Jun 23, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content 80.00 mg	Mass 74.20 mg	Purity 99.39%	Fill Accuracy 92.8%
-------------------------------------	-------------------------	-------------------------	-------------------------------





Fig. 1 - HPLC-UV Chromatogram at 214nm

Component Breakdown

Component	Mass (mg)
GHK-Cu	51.44
KPV	10.29
BPC-157	11.41
TB-500	1.06

Appearance

Appearance:	Blue Powder
Cap Color:	Red / Yellow

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification