

## SAMPLE IDENTIFICATION

|             |                        |                 |                     |
|-------------|------------------------|-----------------|---------------------|
| Peptide:    | <b>GLOW Blend</b>      | Date Requested: | <b>N/A</b>          |
| Client:     | <b>Summit Peptides</b> | Date Received:  | <b>May 5, 2026</b>  |
| Vendor:     | <b>Summit Peptides</b> | Date Tested:    | <b>May 9, 2026</b>  |
| Lot Number: | <b>265GLOW70</b>       | Date Reported:  | <b>May 11, 2026</b> |

## HPLC-UV PURITY & CONTENT ANALYSIS

|                                     |                         |                         |                                |
|-------------------------------------|-------------------------|-------------------------|--------------------------------|
| Expected Content<br><b>70.00 mg</b> | Mass<br><b>85.12 mg</b> | Purity<br><b>99.99%</b> | Fill Accuracy<br><b>121.6%</b> |
|-------------------------------------|-------------------------|-------------------------|--------------------------------|




Fig. 1 - HPLC-UV Chromatogram at 214nm



| Component Breakdown |           |
|---------------------|-----------|
| Component           | Mass (mg) |
| GHK-Cu              | 61.25     |
| BPC-157             | 12.60     |
| TB-500              | 11.27     |

| Appearance  |                    |
|-------------|--------------------|
| Appearance: | <b>Blue Powder</b> |

## BACTERIAL ENDOTOXIN TEST (USP <85>)

| Method                 | Result        | Specification  | Verdict     |
|------------------------|---------------|----------------|-------------|
| Kinetic LAL (USP <85>) | < 0.125 EU/mL | <= 0.125 EU/mL | <b>PASS</b> |

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification